



Qingdao Kesheng Hongda Hardware Products Co., LTD

Contract: Ms. Liu
Tel: +86 13070876125
E-mail: info@qdkshd.com



Catalog

— CONTENTS —

01

Telescopic Bollard

02

Removable Bollard

03



Fold-down Bollard

04

Fixed Bollard

05

Barrier



Telescopic Bollard



Model	RB24-11
-------	---------

Size: $\Phi 219^*$ over ground 600*under ground 1100mm

$\Phi 219^*$ over ground 600*under ground 785

$\Phi 219^*$ over ground 600*under ground 780

Material: Steel or SS 304/316/201,

$\Phi 219$ mm, with wall thickness 2.0~3.0mm

Telescopic Bollard



Model RB24-08

Size: $\Phi 400 \times 1000\text{mm}$
Material: Steel or SS 304/316/201,
 $\Phi 89 \sim \Phi 273\text{mm}$,
with wall thickness 2.0~3.0mm



Model RB24-11


Size: $\Phi 219 \times \text{over ground } 600 \times \text{under ground } 1100\text{mm}$
 $\Phi 219 \times \text{over ground } 600 \times \text{under ground } 785$
 $\Phi 219 \times \text{over ground } 600 \times \text{under ground } 780$
Material: Steel or SS 304/316/201,
 $\Phi 219\text{mm}$, with wall thickness 2.0~3.0mm




ITEM NO.	\varnothing
KSLU043	219mm

H
816mm

H buried underground
600mm



Securing your home and vehicles will always be a concern for home owners. Protect what's yours with our strong, durable rising bollards. Install on your driveway or in front of your gated property for extra security.



Removable bollard



Street Furniture Direct offer a wide range of Stainless Steel bollards available in both Grade 304 or Grade 316 for environments such as coastal areas or industrial areas where a bit more protection is needed. Due to the versatility of the material our stainless steel bollards have a very low maintenance level requiring only a occasional clean with warm water and soap or a mild detergent. All our stainless steel bollards come with a brushed satin finish as standard.



Removable Bollard



Model	RB24-07
-------	---------

Size: Φ 114*1000mm

Material: Steel or SS 304/316/201,

Φ 89~ Φ 273mm,

with wall thickness 2.0~3.0mm

Removable Bollard



Model RB24-09

Size: Φ 400*1000mm
 Material:Steel or SS 304/316/201,
 Φ 89~ Φ 273mm,
 with wall thickness 2.0~3.0mm



Dia: 114mm
 H; 550mm



Dia:159mm
 H:500mm

Fold-down Bollard



Model RB24-10

Size: Φ 114*1000mm
 Material:Steel or SS 304/316/201,
 Φ 89~ Φ 273mm,
 with wall thickness 2.0~3.0mm



ITEM NO.
 KSLU022
 KSLU023

W	H
80mm	1000mm
80mm	1000mm



Sealey Folding Bollard with Integral Lock

Constructed from heavy-duty 114mm diameter steel pipe

Features integral lock

Supplied with 2 keys

200 x 200mm base plate with 13.5mm diameter holes for floor fixing



Fixed Bollard



Model RB24-04

Size: $\Phi 114 \times 1000\text{mm}$
Material: Steel or SS 304/316/201,
 $\Phi 89 \sim \Phi 273\text{mm}$,
with wall thickness 2.0~3.0mm



Model RB24-05

Size: $\Phi 110 \times 1297 \times \Phi 231\text{mm}$
Material: Cast iron, with weight 43 kgs/pc



Model RB24-06

Size: $\Phi 114 \times 1000\text{mm}$
Material: Steel or SS 304/316/201,
 $\Phi 89 \sim \Phi 273\text{mm}$,
with wall thickness 2.0~3.0mm



Φ	H
160mm	820mm

W	H
300mm	410mm




Ø	H
93.5mm	1000mm



Ø	H
200mm	1000mm



Ø	H on the ground	H
100mm	500mm	620mm




Heavy Duty High Vis Bollards
Heavy Duty High Vis Bollards offer robust protection for buildings, shutter doors, loading bays plus more against accidental impacts. Made from 5mm mild steel, they can withstand significant force from vehicles.

Barrier



City bollards and posts are made for street, retail, or commercial areas.

You can choose between a fixed or removable post. This lets you pick several options (you can then easily remove a post for temporary access, if required!). The city bollards and posts are securely locked in place using integral locks or padlocks (depending on the model you choose). These are frequently paired with lengths of zinc or plastic chain or rope.



Barrier



Safety bollard (H 900 mm)

Sturdy safety bollard for installing both indoors and outdoors. Effective protection of constructions, machinery, stock, etc.

Product specifications

Height: 900 mm

Profile dimensions: 110 mm

Colour:Black/yellow

Colour code:RAL 1003

Material:Steel

Shape:Traffic post

Recommended number of people for assembly:1

Estimated assembly time:5 mins

Weight:9.85 kg





Low guard collision barrier

A powerful anti-collision guard with a low arc for installation both indoors and outdoors. Effective protection of constructions, machinery, stock, etc.





High guard collision barrier

A powerful anti-collision guard with a high arc for installation both indoors and outdoors. Effective protection of constructions, machinery, stock, etc.

Length: 1200 mm

Height: 1000 mm

Profile dimensions: 110 mm

Colour: Black/yellow

Colour code: RAL 1003



Collision barrier

Straight, H 1200 x W 1200 mm, Ø 89 mm


Sturdy anti-collision barriers for use both indoors and outdoors. Effective protection for structures, machinery, warehouse stock etc.



Collision barrier

Corner, 600x640x640 mm, Ø 89 mm

Sturdy anti-collision barriers for installing both indoors and outdoors. Effective protection of constructions, machinery, stock, etc.





Pipe protector

Straight, L 1000 mm, yellow-black

A straight perimeter barrier with a protective metal plate at the base.

Length:1000 mm

Height:650 mm

Colour:Black/yellow

Colour code:RAL 1018

Material:Steel





Perimeter barrier
1000x1000 mm, yellow
Durable perimeter barrier for
indoor and outdoor use



Perimeter barrier
2000x1000 mm, yellow
Durable perimeter barrier
for indoor and outdoor use



Crowd barrier
L 1980 mm, galvanised
Stackable crowd barrier.
Barrier sections can be
hooked together to create
longer runs of fencing or can
be set up at angles.



Qingdao Kesheng Hongda Hardware Products Co., LTD

Address: 3rd Floor, Building 3#B
Qingdao Blue Valley Entrepreneurship
Center Phase I, Aoshanwei Sub-District,
Jimo District, Qingdao, Shandong

Contract: Ms. Liu
Tel: +86 13070876125
E-mail: info@qdkshd.com